



find

info

made in germany		5
guitar & instrument cab	les	
TITANIUM walnut	****	8
TITANIUM	****	10
LaGrange	****	12
Joe Bonamassa	****	14
RockMaster	****	18
FunkMaster	****	20
ProArtist	***	22
KIK	***	24
microphone cables		
TITANIUM	****	32
M5	****	34
M2	****	36
M1 KLOTZ-Connectors	***	38
KMK	***	42
M1 Neutrik-Connectors	***	44
analog audio cables		
M1 KLOTZ-Connectors	***	50
M1 Neutrik-Connectors	***	52
speaker cables		
SC5 speaker	****	58
SC3 speaker	****	60
SC1 speaker	***	62



made in **Ger** Malana Ma

The KLOTZ company was founded in 1979, starting out as Europe's first specialist manufacturer of multicore, microphone and instrument cables. There followed a partnership for the manufacture of loudspeakers which can still be found in various buildings and facilities today. These speakers, built several decades ago, bear witness to the consistent and long-standing high quality of KLOTZ products.

As the years passed new markets were unlocked and the KLOTZ development engineers produced a never-ending flood of innovative ideas — as they still do today. The company's portfolio has long moved on from the idea of "just cables", and now includes systems and solutions for football stadiums, radio and TV broadcasters, mega-hotels and even cruise ships.

New standards are continually being introduced in data transmission. KLOTZ has always been in the forefront of this field, and will remain so in the future. The KLOTZ name is synonymous with supreme quality in audio and video transmission solutions, and the company has built a worldwide reputation on this hallmark quality.

Over the years KLOTZ has carried out a host of prestigious orders on the fiercely contested instrument and microphone cable market, including cabling for the legendary Abbey Road Studios in London and signature cable models for outstanding artists like TM Stevens, Matthias Jabs (Scorpions) and Joe Bonamassa.

As growth became necessary in recent years, the company was in the fortunate position of being able to expand its Vilchband production location. The facility was upgraded to take in future-facing technologies and other aspects – including legal requirements concerning areas like energy efficiency, as well as ergonomic and peoplecentred workplace design.

The company continues to be in the hands of its founders. They know that KLOTZ's most important asset is its people, who have collected a vast store of knowledge and expertise over the years. Our goal is to preserve and expand that knowledge. At KLOTZ, MADE IN GERMANY is our reality – and we aim to keep it that way for the next 40 years.



quality

The KLOTZ AIS factory is using a 6 time quality assurance for each KLOTZ cable in accordance with ISO 9001:2015.





Our extensive range of instrument cables has the ideal choice for every need - from ambitious entry-level players to professional stage and studio artists. All our cables are designed and produced to deliver the highest-quality transmissions and craftsmanship, from our Pro category to our top-end products - the best that money can buy.



qualities watch the stars!

supreme ★★★★★

Made in Germany. The extraordinarily elaborate construction and the best materials result in a cable that not only guarantees the best possible signal transmission, but also defines the limits of what is possible in terms of robustness.

high end ★★★☆

Made in Germany. Great neutral sound, yet extraordinarily robust. The signal is passed on unaltered, the stability makes these cables absolutely top quality in every respect.

professional ★★★☆☆

Made in Germany. Professional cables, a good choice for the rough and tough of everyday life on stage. The excellent shielding keeps the signal free from interference, the resistant jacket defies almost any mechanical stress.

guitar & Enstrument Cables



TITANIUM walnut

supreme guitar ★★★★★

infinite tone - perfect silence

 $With its new revolution ary and patented design the {\it TITANIUM} delivers outstanding signal transmission.$ Maximum dynamics, transparency and transients combined with groundbreaking low microphonics


for your perfect performance. Classy variant with laser-engraved walnut sleeves in satin finish and gold contacts.


features

- US & EU patented patent no: US 7,420,123 B2 Sep. 2, 2008
- super dynamic
- ultra-low capacitance 75pF/m or 23 pF/ft
- ultra-low signal compression
- maximum signal transparency and transients
- outstanding optimized sound quality
- high-quality 99.95 per cent copper conductor
- physically foamed PE insulation
- separating layer to optimize signal
- highly conductive PE screen



classification diagramm









TITANIUM

supreme guitar ★★★★★



75 pF/m

infinite tone - perfect silence


With its new revolutionary and patented design the TITANIUM delivers outstanding signal transmission. Maximum dynamics, transparency and transients combined with groundbreaking low microphonics for your perfect performance - the Silent Plug[™] eliminates the "pop" when instruments are changed.


features


- US & EU patented
- patent no: US 7,420,123 B2 Sep. 2, 2008
- super dynamic
- ultra-low capacitance 75pF/m or 23 pF/ft
- ultra-low signal compression
- maximum signal transparency and transients
- outstanding optimized sound quality
- · high-quality 99.95 per cent copper conductor
- physically foamed PE insulation
- · separating layer to optimize signal
- highly conductive PE screen




classification diagramm
















ultra low capacitance - triple shielded


A market classic since 1985, this cable features extremely low capacitance of 65 pF/m, resp. 20 pF/ft, an ultra-rugged cable jacket and provides groundbreaking and warm sound reproduction because of its outstanding signal transmission with gold plated contacts.


features

- high-quality copper core (99.95% pure ETP copper)
- lead-free ultra-durable jacket, highly resistant
- extra conductive plastic layer shield
- extra-thick dielectric for ultimate conductor insulation
- lowest possible microphony
- outstanding signalflow and groundbreaking fidelity
- extremely low capacitance 65 pF/m, resp. <20 pF/ft



classification diagramm











Joe Bonamacca

high end guitar ★★★☆

70 pF/m

powerful & transparent sound

This high end signature cable designed for Joe Bonamassa is just like Joe himself, delivering brilliant yet utterly natural sound. A direct result of extremely low capacitance of 70 pF/m, resp. 21 pF/ft, negligible microphonics and unbeatable neutrality.


features

- · artist designed JB cable
- high-quality copper core (99.95% pure ETP copper)
- ergonomic anti-kink design guarantees outstanding cable protection
- · lead-free, ultra-flexible jacket
- outstanding mechanical resilience
- · double screening with conductive layer
- · outstanding transparency, unbeatable neutrality and fidelity
- ultra-low capacitance 70 pF/m, resp. 21 pF/ft



classification diagramm















Jee Banamacca

Without the shadow of a doubt, Joe Bonamassa is among the brightest stars in the universe of fine music. KLOTZ is naturally delighted and honoured to have this figurehead of the international blues and rock scene on board as an endorser, and even as one of our Signature Artists.

The relationship between the US musician and KLOTZ began over a decade ago. He found exactly what he was looking for at KLOTZ. With a little help from friends of friends, direct contact with the company was set up, and both sides quickly decided to start working on a signature cable.

Milliter

Joe Bonamassa has gourmet tastes in sound. It was clear from the start that he would have very specific and personal ideas of the sound he wanted. At the same time, the cable would have to offer all the reliability that a musician who spends a good part of his life on the road has come to expect from his equipment. A further factor to consider was that the blues giant plays the biggest stages in the world – but never uses wireless technology. So his cables had to deliver superb sound quality even in extremely long lengths. Confronted with these requirements, the KLOTZ engineers embarked on a phase of testing and experimentation.

Joe Bonamassa was immediately attracted by the warmth and clarity of the cable's sound. After a few tweaks, engineers and artist agreed over this aspect.

The next step was to work on the visuals of the cable jacket and redesign the jack connectors for use with Bonamassa's beloved vintage guitars. Some time ago a version with Silent Plug connectors was added, enabling performers to make the many guitar changeovers required during a concert with no need for a changeover or mute switch. Joe Bonamassa has now been using his KLOTZ Signature Cables for many years and is completely satisfied with their sound, reliability and durability.



Klotz and Matthias Jabs join forces!

Matthias Jabs, legendary lead guitarist of super-group "Scorpions" and member of the "Rock'n Roll Hall of Fame" took the opportunity to design a high-end cable range that exactly matched his high standards. He did it with his chosen partners, KLOTZ Cables - international cable specialists, with top marks in an array of international tests and comparisons and leading designers and producers of ultra-high-quality cables, connectors and connection systems.


The cable for rock musicians!


Offers fast response and a powerful, transparent and assertive sound. Ideal for electric guitars' mid-heavy frequencies. Also available as speaker and patch cables. It's interference-free and comes with an optimized ultra-low capacitance of 75 pF/m, resp. 23pF/ft.


features

- THE cable for rock musicians
- · fast response
- delivers a powerful, transparent and assertive sound
- interference-free
- top-quality materials: PVC jacket, Cu spiral shield
- ideal for electric guitars' mid-heavy frequencies
- also available as speaker and patch cables
- ultra-low capacitance (75 pF/m)

classification diagramm











funky & percussive response


This high end bass and guitar cable offers maximum transparency, clearly defined low end and funky, percussive response. It is extra-flexible, resistant to interference, great to handle and comes with an ultra-low capacitance of 80 pF/m, resp. 24pF/ft..


features

- · ideal for both bass and guitar
- high-quality copper core (99.95% pure ETP copper)
- extra-dense outer surface improves handling
- ultra-flexible, ultra-durable
- higher thickness dielectric for extra conductor insulation
- maximum transparency
- ultra-low compression
- outstanding capacitance specs 80pF/m, resp. 24 pF/ft



classification diagramm











professional **



extremely flexible - low capacitance


Ideal combination of superb signal transmission, high flexibility, ruggedness and sophisticated design, security and reliability for the tough world of stage performance. In addition the range features low capacitance of 95 pF/m, resp. 29 pF/ft.


features

- extra tough and durable cable assembly
- high-quality copper core (99.95% pure ETP copper)
- high conductive and ultra-flexible screen
- high-quality plugs for solid signal transfer and trouble-free handling
- low capacitance 95 pF/m, resp. 29 pF/ft & low microphonics




classification diagramm


















features

- budget cable that's easy to use and sounds great
- reliable and great to handle
- for ambitious entry-level musicians
- effective spiral shield
- warm, rich sound
- Jack 2p., 6.35 mm, angled and straight, gold-plated contact by KLOTZ
- ultra flexible



classification diagramm











order


order code	short name	length in cm	RRP
KIKKG1.5PRSW	KIK KG PR	150	29.87 €
KIKKG3.OPRSW	KIK KG PR	300	33.68 €
KIKKG4.5PRSW	KIK KG PR	450	37.19 €
KIKKG6.OPRSW	KIK KG PR	600	40.48 €
KIKKG9.OPRSW	KIK KG PR	900	47.08 €


connectors: straight - straight metal jack by KLOTZ, gold plated contacts cable color: red order order code short name length in cm RRP KIKKG1.5PPRT KIK KG PPR 150 17.27 € KIKKG3.OPPRT KIK KG PPR 300 32.58 € 36.09 € KIK KG PPR 450 KIKKG4.5PPRT KIKKG6.OPPRT KIK KG PPR 600 39.39 € KIKKG9.OPPRT KIK KG PPR 900 45.98 €





















order

order code	short name	length in cm	RRP
KIK1.5PPSW	KIK SW	150	16.98 €
KIK2.OPPSW	KIK SW	200	18.62 €
KIK3.OPPSW	KIK SW	300	20.56 €
KIK4.5PPSW	KIK SW	450	23.87 €
KIK6.OPPSW	KIK SW	600	26.98 €
KIK9.OPPSW	KIK SW	900	33.18 €









microphone cables



TITANIUM

supreme microphone cable ★★★★

StarQuad microphone cable ultra low capacitance


You deserve the best, regardless whether you are on stage or in a recording studio environment. The four-conductor TITANIUM Microphone cable delivers outstanding fidelity with the best noise rejection and suppression.


features


- Outstanding, excellent sound quality
- Interference-free sound transmission due to 4 conductor StarQuad wiring
- High-quality 99.95% pure ETP copper
- Optimized conductor cross section with the lowest capacitance
- Extremely dense spiral shield for best rejection of any external sources
- Ultra-flexible
- Super dynamic
- Ultra-low signal compression
- Crystal-clear sound transmission
- maximum transients





















ultra-high cross section - double shielded


Reliable double counter-wound copper spiral shield, extremely low capacitance, a moulded PVC inner jacket and a conductor cross-section of 0.5 mm² (AWG 20) provide superb sound quality and long life span.

features


- superb sound quality in studios or on stage
- highly suitable for signal transmission over long distances
- 0.5 mm² conductor cross section (AWG 20)
- high-quality copper core (99.95% pure ETP copper)
- double counter-wound bare copper spiral shield
- PVC inner jacket for stabilizing pair twisting
- extremely low cond. capacitance 55 pF/m, resp. 16 pF/ft



classification diagramm



cable construction



connectors: XLR black by KLOTZ pins: silver-plated order order code short name length in cm RRP M5KBFM006 M5 KB 60 34.28 € M5KBFM010 M5 KB 100 35.93 € **M5KBFM030** M5 KB 300 44.14 € M5KBFM050 M5 KB 500 52.35 € **M5KBFM060** M5 KB 600 56.45 € M5 KB 72.88 € M5KBFM100 1000 M5KBFM150 M5 KB 1500 93.40 € M5KBFM200 M5 KB 2000 113.93 € M5KBFM300 M5 KB 3000 154.99 € **M5KBFM500** M5 KB 237.10 € 5000






Robust microphone cable that withstands daily touring business easily: superb flexibility, extra thick outer jacket, ultra-low cond. capacitance 60 pF/m, resp. 18 pF/ft, conductor cross-section of 0.22 mm² for top performance.


features

- highly flexible
- 0.22 mm² cond. cross section (AWG 24)
- high-quality copper core (99.95% pure ETP copper)
- most effective copper shielding
- lead-free PVC coating
- cond. capacitance 60 pF/m, resp. 18 pF/ft
- successfully tested with > 25.000 bendings



classification diagramm





connectors: $\operatorname{Connectors}$: XLR nickel by KLOTZ

pins: silver-plated



order

order code	short name	length in cm	RRP
M2KB1FM-0030	M2 KB	30	27.51 €
M2KB1FM-0060	M2 KB	60	28.12 €
M2KB1FM-0100	M2 KB	100	29.01 €
M2KB1FM-0200	M2 KB	200	31.20 €
M2KB1FM-0300	M2 KB	300	33.39 €
M2KB1FM-0500	M2 KB	500	37.70 €
M2KB1FM-0750	M2 KB	750	43.17 €
M2KB1FM-1000	M2 KB	1000	48.59 €
M2KB1FM-1500	M2 KB	1500	59.46 €
M2KB1FM-2000	M2 KB	2000	69.79 €

connectors: XLR silver by KLOTZ

pins: silver-plated



order

order code	short name	length in cm	RRP
M2K1FM0100	M2 K	100	28.39 €
M2K1FM0200	M2 K	200	30.52 €
M2K1FM0300	M2 K	300	32.71 €
M2K1FM0500	M2 K	500	37.09 €
M2K1FM0750	M2 K	750	42.49 €
M2K1FM1000	M2 K	1000	47.97 €
M2K1FM1500	M2 K	1500	58.85 €
M2K1FM2000	M2 K	2000	69.72 €
M2K1FM3000	M2 K	3000	91.49 €

connectors: XLR black by Neutrik

pins: silver-plated



order code	short name	length in cm	RRP
M2FM1-0030	M2 N	30	35.03 €
M2FM1-0060	M2 N	60	35.72 €
M2FM1-0100	M2 N	100	36.54 €
M2FM1-0200	M2 N	200	38.73 €
M2FM1-0300	M2 N	300	40.92 €
M2FM1-0500	M2 N	500	45.36 €
M2FM1-0750	M2 N	750	50.71 €
M2FM1-1000	M2 N	1000	56.18 €
M2FM1-1500	M2 N	1500	67.06 €
M2FM1-2000	M2 N	2000	77.93 €



professional microphone

ultra flexible - low capacitance with KLOTZ connectors


Rugged and durable as well as highly flexible. Vocal signals are reproduced as naturally and reliably as possible, even under challenging stage and rehearsal conditions.

features


- highly flexible
- 0.22 mm2 cond. cross section (AWG 24)
- high-quality copper core (99.95% pure ETP copper)
- most effective copper shielding
- lead-free PVC coating
- cond. capacitance 60 pF/m, resp. 18 pF/ft
- successfully tested with > 25.000 bendings



classification diagramm




cable construction



connectors: XLR nickel by KLOTZ
cable color: black

oruci			
order code	short name	length in cm	RRP
M1K1FM0030	M1 K	30	23.95 €
M1K1FM0060	M1 K	60	24.63 €
M1K1FM0100	M1 K	100	25.45 €
M1K1FM0150	M1 K	150	26.42 €
M1K1FM0200	M1 K	200	27.51 €
M1K1FM0300	M1 K	300	29.56 €
M1K1FM0500	M1 K	500	33.67 €
M1K1FM0750	M1 K	750	38.73 €
M1K1FM1000	M1 K	1000	43.93 €
M1K1FM1500	M1 K	1500	54.19 €
M1K1FM2000	M1 K	2000	64.46 €
M1K1FM2500	M1 K	2500	74.72 €







2000

64.39 €

M1 K GL





M1K5FM2000



order code	short name	length in cm	RRP
M1KB1FM0030	M1 KB	30	24.63 €
M1KB1FM0060	M1 KB	60	25.18 €
M1KB1FM0100	M1 KB	100	26.00 €
M1KB1FM0150	M1 KB	150	27.10 €
M1KB1FM0200	M1 KB	200	28.06 €
M1KB1FM0300	M1 KB	300	30.11 €
M1KB1FM0500	M1 KB	500	34.21 €
M1KB1FM0750	M1 KB	750	39.41 €
M1KB1FM1000	M1 KB	1000	44.48 €
M1KB1FM1500	M1 KB	1500	54.74 €
M1KB1FM2000	M1 KB	2000	65.01 €
M1KB1FM2500	M1 KB	2500	75.27 €
M1KB1FM3000	M1 KB	3000	85.54 €




ultra lightweight & durable XLR cable

Although the KMK microphone cable was designed for price-conscious users, it meets the high standards that are characteristic of KLOTZ cables. The high-quality, durable cable features a sophisticated combination of materials that optimises signal transmission. The Neutrik compound connector, manufactured exclusively for KLOTZ, is approx. 40% lighter than standard Neutrik XLR connectors with similar stability.

features

- super flexible
- 0.22 mm² cond. cross section (AWG 24)
- high-quality copper core (99.95% pure ETP copper)
- efficient copper shielding
- lead-free PVC coating
- cond. capacitance of 60 pF/m, resp. 18 pF/ft
- successfully tested with > 25.000 bendings










Rugged and durable as well as highly flexible. Vocal signals are reproduced as naturally and reliably as possible, even under challenging stage and rehearsal conditions.

features


- highly flexible
- 0.22 mm2 cond. cross section (AWG 24)
- high-quality copper core (99.95% pure ETP copper)
- most effective copper shielding
- lead-free PVC coating
- cond. capacitance 60 pF/m, resp. 18 pF/ft
- successfully tested with > 25.000 bendings



classification diagramm



cable construction



connectors: XLR white by Neutrik

cable color: white



order

order code	short name	length in cm	RRP
IRFM0100	IRFM	100	45.58 €
IRFM0200	IRFM	200	47.90 €
IRFM0300	IRFM	300	50.23 €
IRFM0500	IRFM	500	54.88 €
IRFM0750	IRFM	750	60.69 €
IRFM1000	IRFM	1000	66.51 €
IRFM1500	IRFM	1500	78.15 €

 connectors: XLR black by Neutrik

 cable color: black

 order

 order code
 short name
 length in cm
 RRP

 M1FM1N0050
 M1 N
 50
 32.57 €


 M1FM1N0100
 M1 N
 100
 33.59 €

 M1FM1N0150
 M1 N
 150
 34.63 €

 M1FM1N0200
 M1 N
 150
 34.63 €

order code	short name	length in cm	RRP
M1FM1N0050	M1 N	50	32.57 €
M1FM1N0100	M1 N	100	33.59 €
M1FM1N0150	M1 N	150	34.63 €
M1FM1N0200	M1 N	200	35.65 €
M1FM1N0300	M1 N	300	37.70 €
M1FM1N0500	M1 N	500	41.80 €
M1FM1N0750	M1 N	750	46.95 €
M1FM1N1000	M1 N	1000	52.07 €
M1FM1N1500	M1 N	1500	62.33 €
M1FM1N2000	M1 N	2000	72.60 €
M1FM1N3000	M1 N	3000	93.13 €


connectors: XLR nickel by Neutrik cable color: black order order code length in cm short name M1FM1NN0050 M1 NN 31.68 € 100 M1FM1NN0100 M1 NN 32.71 € M1FM1NN0150 M1 NN 150 33.74 € M1FM1NN0200 M1 NN 200 34.76 € 36.82 € M1FM1NN0300 M1 NN 300 M1FM1NN0500 M1FM1NN0750 M1 NN 500 40.92 € 46.05 € M1 NN **750** M1FM1NN1000 M1 NN 1000 51.18€ M1FM1NN1500 M1 NN 61.45 € 1500 M1 NN 71.71 € M1FM1NN2000 2000




order code	short name	length in cm	RRP
M1FM3N0100	M1 N RED	100	33.59 €
M1FM3N0200	M1 N RED	200	35.65 €
M1FM3N0300	M1 N RED	300	37.70 €
M1FM3N0500	M1 N RED	500	41.80 €
M1FM3N0750	M1 N RED	750	46.95 €
M1FM3N1000	M1 N RED	1000	52.07 €
M1FM3N1500	M1 N RED	1500	62.33 €

connectors: XLR black by Neutrik cable color: blue order length in cm **RRP** 33.59 € M1FM2N0100 M1 N BLUE 100 M1FM2N0200 M1 N BLUE 200 35.65 € M1 N BLUE M1FM2N0300 300 37.70 € M1FM2N0500 M1 N BLUE **500** 41.80 € M1FM2N0750 M1 N BLUE 46.95 € 750 M1 N BLUE M1FM2N1000 1000 52.07 € M1FM2N1500 M1 N BLUE 1500 62.33 €

















Rugged and durable as well as highly flexible. Vocal signals are reproduced as naturally and reliably as possible, even under challenging stage and rehearsal conditions.

features


- highly flexible
- 0.22 mm2 cond. cross section (AWG 24)
- high-quality copper core (99.95% pure ETP copper)
- most effective copper shielding
- lead-free PVC coating
- cond. capacitance 60 pF/m, resp. 18 pF/ft
- successfully tested with > 25.000 bendings



classification diagramm



cable construction





500

750

1000

33.87 €

39.01 €

44.14 €

M1MS1K

M1MS1K

M1MS1K

M1MS1K0500

M1MS1K0750

M1MS1K1000





Rugged and durable as well as highly flexible. Vocal signals are reproduced as naturally and reliably as possible, even under challenging stage and rehearsal conditions.

features


- highly flexible
- 0.22 mm2 cond. cross section (AWG 24)
- high-quality copper core (99.95% pure ETP copper)
- · most effective copper shielding
- lead-free PVC coating
- cond. capacitance 60 pF/m, resp. 18 pF/ft
- successfully tested with > 25.000 bendings




classification diagramm



cable construction outer jacket PVC, matt overall diameter 6.1 mm 2 cores + cotton tracers, twisted shielding bare copper spiral shield cross-section insulation HDPE inner conductor stranded bare copper, 28 x 0.10mm cross-section



















The supreme range from KLOTZ AIS presents cable products designed for secure low-loss signal transmission even over long distances. Their design and production comply with the highest standards of perfection, stability and flexibility, guaranteed by their ultra-short twisting length and extra-fine stranded copper wires (224 x 0.15 mm).



supreme speaker cable - 2 x 4.0 mm² with speakON F-F

Supreme speaker cable for superb sound. The SC5 meets the highest standards of transmission quality and ruggedness in the pro sector.


features


SC5-30SW

SC5-50SW

assembled with the supreme speaker cable LY240

- extra-short twisting length for improved EMC
- high-quality ETP pure copper cores (99,95%)
- extra-fine stranded copper wires (224 x 0.15 mm)
- 4.0 mm² conductor cross section (AWG 11)







3000

5000

SC5

191.42 €

289.67 €






High-end speaker cable for superior demands. No sound coloring. Outstanding flexibility and ruggedness. Built for the hard life on tour.


features

assembled with the high-end speaker cable LY225

- improved EMC performance by short length of core twist
- high-quality ETP pure copper cores (99,95%)
- 50 x 0.25 mm stranded design conductors
- 2.5 mm² conductor cross-section (AWG13)







connectors: SpeakON by Neutrik®

cable color: black



order

order code	short name	length in cm	RRP
SC3-01SW	SC3	100	32.57 €
SC3-02SW	SC3	200	35.45 €
SC3-03SW	SC3	300	38.32 €
SC3-05SW	SC3	500	45.98 €
SC3-10SW	SC3	1000	60.98 €
SC3-15SW	SC3	1500	75.97 €
SC3-20SW	SC3	2000	90.96 €

connectors: jack plugs by KLOTZ

cable color: black



order

order code	short name	length in cm	RRP
SC3PP01SW	SC3PP	100	30.38 €
SC3PP02SW	SC3PP	200	33.26 €
SC3PP03SW	SC3PP	300	36.13 €
SC3PP05SW	SC3PP	500	43.70 €
SC3PP10SW	SC3PP	1000	58.69 €
SC3PP15SW	SC3PP	1500	73.68 €
SC3PP20SW	SC3PP	2000	88.68 €

connectors:

speakON by Neutrik®- jack plug by KLOTZ

cable color: black



order code	short name	length in cm	RRP
SC3-SP01SW	SC3-SP	100	31.89 €
SC3-SP02SW	SC3-SP	200	34.76 €
SC3-SP03SW	SC3-SP	300	37.64 €
SC3-SP05SW	SC3-SP	500	45.27 €
SC3-SP10SW	SC3-SP	1000	60.26 €
SC3-SP15SW	SC3-SP	1500	75.26 €
SC3-SP2OSW	SC3-SP	2000	90.25 €





features

assembled with the professional speaker cable LY215

- improved EMC performance by short length of core twist
- high-quality ETP pure copper cores (99,95%)
- ullet 30 x 0.25 mm stranded design conductors
- 1.5 mm² conductor cross-section (AWG15)







connectors: speakON by Neutrik®

cable color: black



order

order code	short name	length in cm	RRP
SC1-01SW	SC1	100	30.86 €
SC1-02SW	SC1	200	32.84 €
SC1-03SW	SC1	300	34.83 €
SC1-05SW	SC1	500	40.48 €
SC1-10SW	SC1	1000	50.84 €

connectors: jack plugs by KLOTZ

cable color: black



order

order code	short name	length in cm	RRP
SC1PP01SW	SC1PP	100	29.01 €
SC1PP02SW	SC1PP	200	31.00 €
SC1PP03SW	SC1PP	300	32.99 €
SC1PP05SW	SC1PP	500	38.56 €
SC1PP10SW	SC1PP	1000	48.91 €

connectors: jack plugs by Neutrik

cable color: black



order

order code	short name	length in cm	RRP
SC1-PP01SW	SC1-PP	100	29.89 €
SC1-PP02SW	SC1-PP	200	31.96 €
SC1-PP03SW	SC1-PP	300	34.06 €
SC1-PP05SW	SC1-PP	500	39.89 €
SC1-PP10SW	SC1-PP	1000	50.75 €

connectors:

speakON - jack plug by Neutrik®

cable color: black



SC1-SP01SW SC1-SP 100	
3C1-3F	29.01 €
SC1-SP02SW SC1-SP 200	31.00 €
SC1-SP03SW SC1-SP 300	32.99 €
SC1-SP05SW SC1-SP 500	38.56 €
SC1-SP10SW SC1-SP 1000	48.91 €

environment responsibility

As an internationally operating company, we believe that responsibility for our environment and conservation of resources is our task and our duty for the present and future generations.

As manufacturers of outstanding ground-breaking products, we have adopted a pioneering role in environmental protection and conservation as a matter of utmost priority. In our view, the use of low-toxicity raw materials and the minimization of our ecological footprint is not only an urgent necessity, but also an honourable duty.

We therefore introduced compliance with the terms of the EU's RoHS (Restriction of Hazardous Substances in Electrical and Electronic Equipment) directive in our company many years ago, long before it actually came into force; our suppliers can vouch for the RoHS compliance of the connectors we use.

We have significantly lowered our carbon emissions (with certificate), and ensured that our new production hall has improved insulation in line with the German Energy Saving Ordinance ENEV from 2009.

These measures ensure that we contribute towards protecting the environment.

The RoHS Directive, or the directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment 200/95/EC' was adopted in January 2003 by the European Parliament and European Council and was implemented into German national law in March 2005.

The aim of the Directive is to minimize risks to people and the environment by reducing toxins in the production, use and disposal of electrical and electronic

products. It has therefore prohibited the use of lead and other toxic heavy metals including mercury, cadmium and hexavatent chrome and of flame-retardants such as PBB (polybrominated biphenyles) and PBDE (polyfarominated diphenylether) in electrical and electronic products such as household appliances,

IT and telecommunications devices and consumer electronics.







KLOTZ AIS GmbH Johann-Sebastian-Bach-Str. 36 85591 Vaterstetten / München / Germany

Tel: +49.(0)8106.308.0 Fax: +49.(0)8106.308.101 Mail: info(at)klotz-ais.com

the signal masters

www.klotz-ais.com